

09/923134

	Type	L #	Hits	Search Text	DBs
1	BRS	L52	3345	345/700,705,710,744,764,808,809,835,840,853,968.ccls.	USPAT; US-PGPUB
2	BRS	L53	6500	707/1,3,500,501.1,505,507,513,515,530.ccls.	USPAT; US-PGPUB
3	BRS	L54	409133	quer\$5 or search\$5 or retriev\$4	USPAT; US-PGPUB
4	BRS	L55	252757	(find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)	USPAT; US-PGPUB
5	BRS	L56	820597	(relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or	USPAT; US-PGPUB
6	BRS	L57	169868	database or (data adj1 base)	USPAT; US-PGPUB
7	BRS	L58	72147	(quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base))	USPAT; US-PGPUB
8	BRS	L59	21953	((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))	USPAT; US-PGPUB
9	BRS	L60	15606	((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1	USPAT; US-PGPUB
10	BRS	L61	9715	345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.	USPAT; US-PGPUB
11	BRS	L62	1555	((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or	USPAT; US-PGPUB
12	BRS	L63	148115	document.ti,ab. or application.ti,ab.	USPAT; US-PGPUB
13	BRS	L64	121614 7	(insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or	USPAT; US-PGPUB
14	BRS	L65	430	((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or	USPAT; US-PGPUB
15	BRS	L66	106119	((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with (field or record or information)	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs
16	BRS	L67	344	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or	USPAT; US-PGPUB
17	BRS	L68	235	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with	USPAT; US-PGPUB
18	BRS	L69	210	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with	USPAT; US-PGPUB
19	BRS	L70	27256	name with (mail or telephone or telex or phone or fax or facsimile or letter)	USPAT; US-PGPUB
20	BRS	L71	636491	related.ti,ab. or associated.ti,ab. or linked.ti,ab. or connected.ti,ab. or interrelated.ti,ab. or	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs
21	BRS	L72	75	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with (field or record or information))) and (name with (mail or telephone or telex or	USPAT; US-PGPUB
22	BRS	L73	147	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 707/1,3,500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (related.ti,ab. or associated.ti,ab. or linked.ti,ab. or connected.ti,ab. or interrelated.ti,ab. or	USPAT; US-PGPUB
23	BRS	L74	448	345/804-805.ccls.	USPAT; US-PGPUB
24	BRS	L75	209	(database or (data adj1 base)) and 345/804-805.ccls.	USPAT; US-PGPUB
25	BRS	L76	25649	(document.ti,ab. or application.ti,ab.) and (related.ti,ab. or associated.ti,ab. or linked.ti,ab. or connected.ti,ab. or interrelated.ti,ab. or interconnected.ti,ab.)	USPAT; US-PGPUB
26	BRS	L77	33	((database or (data adj1 base)) and 345/804-805.ccls.) and ((document.ti,ab. or application.ti,ab.) and (related.ti,ab. or associated.ti,ab. or linked.ti,ab. or connected.ti,ab. or interrelated.ti,ab. or interconnected.ti,ab.))	USPAT; US-PGPUB
27	BRS	L79	6776	345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.	USPAT; US-PGPUB
28	BRS	L84	3588	715/500,501.1,505,507,513,515,530.ccls.	USPAT; US-PGPUB
29	BRS	L85	6776	345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs
30	BRS	L86	653	((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or	USPAT; US-PGPUB
31	BRS	L87	311	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.))	USPAT; US-PGPUB
32	BRS	L88	235	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and ((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or	USPAT; US-PGPUB
33	BRS	L89	150	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs
34	BRS	L90	143	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with	USPAT; US-PGPUB
35	BRS	L91	42	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (((insert\$4 or includ\$4 or incorporat\$4) with (related or associated or linked or connected or interrelated or interconnected)) with (field or record or information))) and (name with (mail or telephone or telex or	USPAT; US-PGPUB
36	BRS	L92	99	(((((relat\$4 or associat\$4 or link\$4 or connect\$4 or interrelated or interconnected) with (application or program)) and (((find\$4 or detect\$4 or locat\$4 or determin\$4) with (field or record)) and ((quer\$5 or search\$5 or retriev\$4) same (database or (data adj1 base)))))) and (345/700,705,710,744,764,808,809,835,840,853,968.ccls. or 715/500,501.1,505,507,513,515,530.ccls.)) and (document.ti,ab. or application.ti,ab.)) and (related.ti,ab. or associated.ti,ab. or linked.ti,ab. or connected.ti,ab. or interrelated.ti,ab. or	USPAT; US-PGPUB
37	BRS	L93	27	(89 or 90 or 91 or 92) and @pd > "20031114"	USPAT; US-PGPUB